


	<u>NOTES</u>	NOTES         Ogeneral         -Read only figured dimensions.         -All dimensions are in mm unless otherwise specified.         -The contractor must check and verify all dimensions before commencement of the work         Structural         -For all R.C works, refer to S.E's details         -All walls less than 200mm thick to be reiforced with hoop iron at alternate courses         -All adjacent R.C work and masonry walls to be tied with strap irons at every course				
itch. g sheets on softwood SE's details. steel pergolar with glass	-Read only figured -All dimensions are -The contractor mu commencement o					
corative columns	-All walls less than iron at alternate c -All adjacent R.C w strap irons at ever					
Thika blue stones rizontal keys and flash rs. ne cladding to	-All plumbing and c -All surface ducts t	Mechanical -All plumbing and drainage works to comply with P. H specifiacations -All surface ducts to be accessible from all floors -S.V.P denotes soil vent pipe and to be provided at the head of the drainage				
ndows e to approval.	Electrical -All conduits must -All electrical works		ering			
15° roofing pitch. Decra roofing sheets on softwood	REVISION Date Description Sign					
structure to SE's details.		Decomption				
Anodised aluminium windows with 6mm clear glass and mosquitoe gauze to details.						
Mazeras stone cladding to details. Very smooth Thika blue stones with deep horizontal keys and flash perpendiculars.						
r mould around the windows gs finished in wall paste to approval.						
a roofing sheets on softwood ture to SE's details. Her and paint on onry wall to approval. Heras stone cladding to ls.						
		Project PROPOSED DEPUTY GOVERNOR'S RESIDENC BUNGOMA COUNTY				
	Client					
15° roofing pitch. Decra roofing sheets on softwood structure to SE's details.		MINISTRY OF LANDS, URBAN/PHYSICAL PLANNIN HOUSING & MUNICIPALITIES				
Plaster and paint on masonry wall to approval.		BUNGOMA COUNTY - KENYA				
RC round decorative columns to details. 150x50 RHS steel pergolar with glass to details.	Client's Approva Drawing title:	Client's ApprovalDateDate.				
Mazeras stone cladding to details. Very smooth Thika blue stones	Scale: AS SHOWN					
with deep horizontal keys and flash perpendiculars. and the windows wall paste to approval.	Project No: <b>MOH</b> /	/01/19	Drawing No	i:		
15° roofing pitch.		Name	Sign	Date		
<ul> <li>Decra roofing sheets on softwood structure to SE's details.</li> </ul>	Project Architect	B. O. AHURA		MAR. 2020		
Plaster and paint on masonry wall to approval. Ex 250x25mm fascia painted	Architect	J. M. THITU		MAR. 2020		
to approval.	Checked	J. M. THITU		MAR. 2020		
Anodised aluminium windows with _ 6mm clear glass and mosquitoe gauze to details.	DIRECTOR F	<b>QS. H.K. SILUNGI</b> DIRECTOR PUBLIC WORKS - BUNGOMA				
Eloor finish on scrood on 100mm		ROADS, INFRAS	TRUCTURE A	ND		
Floor finish on screed on 100mm RC floor slab on murram blinding with DPM on hardcore on compact earth.DPC to be provided under all ground floor walls to ENG's details. Foundation depth to be determined on site. 600x200 RC footing to SE's details.		MENT OF PUBLIC	WORKS	$\langle \chi \rangle$		
Very smooth Thika blue stones	ARCHITECTURAL	SECTION				



bd	<b>NOTES</b>					
id the windows wall paste to approval.	-All dimensions are in -The contractor must of	<b>General</b> -Read only figured dimensions. -All dimensions are in mm unless otherwise specified. -The contractor must check and verify all dimensions before commencement of the work				
	Structural -For all R.C works, refer to S.E's details -All walls less than 200mm thick to be reiforced with hoop iron at alternate courses -All adjacent R.C work and masonry walls to be tied with strap irons at every course					
	Mechanical -All plumbing and drainage works to comply with P. H specifiacations -All surface ducts to be accessible from all floors -S.V.P denotes soil vent pipe and to be provided at the head of the					
Anodised aluminium windows with 6mm clear glass and mosquitoe gauze to details.	Electrical					
	-All electrical works to	-All conduits must be laid before plastering -All electrical works to E.E's details				
	REVISION					
Plaster and paint on masonry wall to approval.	Date	Description	:	Sign		
Parapet wallng to receive concrete coping to architects approval.						
Plaster and paint on masonry wall to approval.						
15° roofing pitch. Decra roofing sheets on softwood structure to SE's details. Anodised aluminium windows with	Project PROPOSED DE BUNGOMA CO		/ERNOR'S F	RESIDENCE		
6mm clear glass and mosquitoe gauze to details. Plaster and paint on masonry wall to approval.						
	Client					
Decorative plaster mould around the windows and other openings finished in wall paste to approval.	MINISTRY OF LA HOUSING & MUI			AL PLANNIN		
Mazeras stone cladding to	P. O. BOX BUNGOMA COU	NTY - KEN	YA			
details.						
	Client's Approval Drawing title:	Client's ApprovalDateDate.				
	Scale: AS SHOWN					
	Project No: MOH/01/	19	Drawing No:			
		lame	Sign	Date		
	Project Architect E		C.g.	MAR. 2020		
	Architect	J. M. THITU		MAR. 2020		
<del>-</del>	Checked	J. M. THITU		MAR. 2020		
6,000	Approved	QS. H.K. SIL	UNGI			
<b>1</b> ,905 <b>1</b> ,005 <b>1</b> ,005 <b>1</b> ,005 <b>1</b> ,005	DIRECTOR PUB					
9,294	MINISTRY OF ROADS, INFRASTRUCTURE AND					
	PL	IBLIC WORKS	S			
	BUNGOMA COUNTY					

ARCHITECTURAL SECTION



**NOTES**